

# RESEARCH ON DYNAMIC SYMBOL BASE

Yang ping<sup>a,b</sup>, Tang Xinming<sup>a,b</sup>, Wang Shengxiao<sup>c</sup>, Lei Bing<sup>b</sup>, Wang Huibing<sup>b</sup>

<sup>a</sup>School of Resource and Environment Science, Wuhan University, 129 Luoyu Road, Wuhan 430079, China - yangping\_wu@163.com; <sup>b</sup>Chinese Academy of Surveying and Mapping, 16 Beitaping Road, Beijing 100039 - tang@casm.ac.cn; <sup>c</sup>Shenhua Remote Sensing & Geo-Engineering Company LTD, Beijing 100085, China - shengxiao.w@gmail.com; leibing@casm.ac.cn; wanghb@casm.ac.cn

**KEY WORDS:** Spatio-temporal Database, Classification of Spatio-temporal Process, Dynamic symbol base, Dynamic Visualization

## ABSTRACT:

As efforts grow to develop spatio-temporal database systems and temporal geographic information systems that are capable of conveying how geographic phenomena change, it is important to associate the spatio-temporal process with a vivid representation. The paper propose a way for visualization base on dynamic symbol base, by which represent the spatio-temporal process in a more vivid and visually way. The paper proposes a new classification of spatio-temporal process, which builds a fundamental basis for the representation of dynamic phenomena. Dynamic visual variable of dynamic symbol for the display of changing spatial-temporal objectives will be discussed, a framework will be designed and implemented for the dynamic visualization.

## 1. INTRODUCTION

### 1.1 Dynamic Visualization and Animated Cartography

Spatiotemporal data can be graphically represented in many ways. Vasiliev (1997) proposed a framework for graphic representation in static maps; Andrienko et al. (2003) attempted to do the same in an exploratory context, focusing on interactive and dynamic visualization of spatio-temporal data. Foundation for the visualization formalization was laid by Bertin in 1967 (see Bertin, 1974). His semiological framework has been further elaborated and extended. Among the main developments in the visual domain (see also Schlichtmann, 1999) is research on effects of combinations of variables (e.g. Spiess, 1970). Morrison (1974) and MacEachren (1994a, 1995) have argued that the variables colour (including saturation) and texture are composites rather than primitives, and they defined the different components.

Furthermore, new variables such as transparency and fuzziness or crispness of symbol edges have been distinguished and applied to represent characteristics of data and of metadata (MacEachren, 1994a; van der Wel et al., 1994). Adaptations to Bertin's way of linking the variables to data have been suggested as well (e.g. Geels, 1987; MacEachren, 1995; Morrison, 1974). Kraak (1988) investigated depth cues, i.e. variables that can be used to simulate the third dimension on a 2-D surface, while DiBiase et. al. (1992) and MacEachren (1994b) proposed dynamic variables for animated representations, together with suggestions for their use.

Characteristics of geographic data can also be represented by signs or signals for modes of perception other than sight. Vasconcellos (1993) made an attempt to define tactile equivalents of Bertin's graphic variables for visually disabled people. More recently, Griffin (1999) added kinaesthetic variables (e.g. resistance, friction) for application in fully immersive Virtual Environments. Barend Köbben described preliminary tests for evaluating the perceptual properties of

dynamic visual variables. By the comparison of six kind dynamic visual variables, included moment, duration, frequency, order, rate of change and synchronization, they gave out that dynamic visual variables would only render favorable results in the use of cartographic animations.

These developments show that the framework for the representation of geodata by perceptual variables, originally founded by Bertin, is a dynamic construct that is still evolving (Blok, 1998, Fairbairn et al., 2001; MacEachren, 2001). Important reasons for ongoing developments are increasing insight and progress in technological advancements. It is clear that the representation framework is not a fixed construct; it will be further extended and adapted. Blok developed the framework by integrating the former visual variables into four categories: moment of display, order, duration, frequency, gave out the relationships between the dynamic visualization variables, provided interactions options from a design perspective, made the utilization of the variables from a user perspective, and tested the effects of the using interactions of various dynamic visualization variables. (Blok, 2005).

Such as we know, Amounts of work have been done on the evolving of the Bertin's framework, but more should be done for further research. The goal of this paper is to propose a new framework which can visualize the spatio-temporal processes refer to each classification of temporal phenomena. By the utilizing of dynamic symbol base, a methodology for dynamic visualization of changing geographic data will be carried out.

## 2. CLASSIFICATION OF SPATIO-TEMPORAL PROCESS

### 2.1 Taxonomy of STP (Spatio-temporal process)

Various models of change have been developed by mathematicians, geographers, philosophers, and computer scientists. Kathleen Hornsby presented an approach to spatio-



temporal knowledge representation based on the explicit description of possible changes to geographic phenomena modeled at a high level of abstraction as identifiable objects. Starting with a set of basic types of change with respect to the existence and non-existence of objects with identity, a methodology was presented that systematically built on these fundamental concepts and derived further types of change that were possible. This change-based model provided a better understanding of the set of possible alterations to which an object can be subject as it evolved over space and time and enabled the extension of spatial data models and the development of GIS query languages that incorporate such semantics of change. Although no explicitly spatial information has been incorporated in this model of change, it has been shown that tracking changes to an object's identity over periods of existence and nonexistence, gives useful insights into the behavior of an object over time that are relevant to many cases of spatio-temporal change. Christophe Claramunt proposed a standard way of designing STPs, aimed valid for every data model that supports the time and space dimensions. He presented a taxonomy of basic STPs, extended the spatio-temporal processed in two ways, and derived a complete classification, including endogenous approach and exogenous processes, consisted of Translation, Succession and Permutation, Re-allocation, Split and Union, Production, Reproduction and Transmission. introduced related database modeling issues, expressed three design patterns in a spatio-temporal object-relationship data mode (Christophe Claramunt 1997).

## 2.2 Spatio-temporal Process Classification

In this paper, we propose a practical classification of Spatio-temporal process. For the reason of actually implementation, we get used to the conception of Layers, Such as we know, Layers are widely used for the construction of geographical data, when we construct the spatio-temporal data storage in the database, there are three features patterns, includes points, lines and polygons within a layer, for each geographical object or phenomenon, it is able to represent in the three patterns of features. On the basis of three patterns, classification corresponding each pattern is proposed to describe the process of change of spatio-temporal objects. Hence we draw up a spatio-temporal process taxonomy which is used for the taxonomy of STP by the analyzing of essence of phenomena change, it can be showed in the following graph:




Figure1. A graph for taxonomy of STP

The procedure that from start to end has no difference except the time variable has been changed, we name it a REMAIN

process, this process is easily ignored, but in the real database, the record about this information is solidly stored in the Spatial-temporal database.

Apart from the process of REMAIN, we propose a detail definition of the spatio-temporal change patterns, transformation occurred during the Spatial-temporal process could be reflected in many ways, in the paper, we plan to classified them in two aspects, one of them occurred in the geometric aspect, we give it a name GEOMETRIC CHANGE; Another can be happened in thematic way, which can be named after THEMATIC CHANGE, the reason for this classification lies in a logical design pattern of database, there is a common way for the data storing strategy that the geometric data and property data are separately deposited but with a weak relation by the using of keywords.

Refer to the GEOMETRIC CHANGE, we propose a deep classification which are named INDEPENDENT CHANGE and DEPENDENT CHANGE, the rules for this division base on whether the process of one spatio-temporal object is depend on that of another or not, there are two kinds change for this division, the first one which the procedure of change without identity verified is a endogenous process, the second one, exogenous process, companioned by transformation of objects identities change in most time. We assume exogenous process is prior to independent change, because only one object has been born(or created), some process could take place in the independent change. Those two kinds of conceptual process need to be classified in an embodying way.

### 2.2.1 Embodiment of DEPENDENT CHANGE

The first process of DEPENDENT CHANGE is BORE, for each spatio-temporal object, the creation is the most and the very beginning step during it's life circle, the BORE process, is a opposite process of DIE, means that a newly objects exist after a death of others, also has many instances.

The Second process we name it DIE, the process is regarded as a termination of a spatio-temporal objects, The DIE process can be described in such a way, the identity of the object has change into another or the geometry has vanished, the process is a creation of the new objects, leading to the contrary process of BORE.

We propose SPLIT as a basic process for the description of change occurred involving several spatio-temporal objects, for the SPLIT process, at the beginning, there is one object has an integral part of geometric properties, in the end, newly born objects have been created, with the initiate state would be

The last process we propose for the concreting of geometric change, in the UNITE process, several object will be united into one objects, companioned by the reducing of identities for the objects and the geometrical transformation, as a result, the former objects were replaced by one objects. The process often have a expanding of area.

### 2.2.2 Embodiment of INDEPENDENT CHANGE

There is a common phenomenon that a spatio-temporal object enlarge it's size due to a lot of reasons, in order to represent this kind of process, we name EXPAND, by the demonstrating of growing space the object occupied, this phenomenon can be a basic classification of spatio-temporal process, which may be



measured by its size and computed from the number it correspond to.

We propose the CONTRACT to describe when a object decreasing its space that occupied in the geo-spatial way, as a result of CONTRACT process, geometrical area or volume reduced in a computable way, CONTRACT is a original process.

Rotation plays an important role in the geometric transformation, change the direction of the object by adding or decreasing the angle from the axis, a lot of geographical phenomena related the changing of orientation can be displayed by ROTATE.

We propose MOVE a basic process for the independent change, the object change its position from one place (often marked in certain coordination) to a different place, MOVE process provides a broad range of phenomena such as changing address.

Regardless of the identity and the related change happened to other objects, EXPAND, CONTRACT, ROTATE and MOVE comprise of the independent change, which created a basis for basic spatio-temporal process. We deem independent change as a original level of spatio-temporal process, and dependent change a higher one, in many cases, independent process happened as a result through the dependent process. The classification of STP do benefit for the following section, and built a fundamental basis for the visualization of STP, in the following paragraph, numerous variables will be utilized for the displaying of the STP, with respect to each process under the framework proposed here.

### 3. DYNAMIC VARIABLES AND TEMPORAL MAPPING

It has become clear that the traditional visual variables, which we will call the static visual variables from here on, do not suffice in describing the added means of expression we have in dynamic visualization of spatio-temporal processed through cartographic animations. To this end six "new" visual variables including moment, duration, frequency, order, rate of change, synchronization have been introduced by DiBiase et al. (1992) and MacEachren (1994). These will be called the dynamic visual variables from here on.

Research by DiBiase et al. (1992) and Koussoulakou & Kraak (1992) has shown that visual variables can indeed be used on the individual frames of an animation in such a way that these images effectively communicate the cartographic message to the user, while the movement of the animation gives the message an extra dimension and "new energy". Furthermore, the findings of Koussoulakou & Kraak (1992) showed that using animated maps helped users grasp the contents of a message in a more effective manner compared to using traditional static maps or map series.

#### 3.1 Four Implemental Dynamic Variables

In this paragraph, in order to get an implemental framework of dynamic visualization for the STP, we chose Moment, Duration, Order and Frequency for the representation of temporal aspect of objects, there are the reasons for the choice:

##### 3.1.1 Moment

In most time, we look process time as a continuous variable, however, each process can be divided into discrete time pieces, we call it MOMENT, The moment that an element in the map changes during a STP can be used for temporal as well as non-temporal animations. e.g. every procedure has a begin time and end time, some key remarkable MOMENT are often record in spatio-temporal database.

##### 3.1.2 Duration

From the Start to the end, the time span that between two different MOMENT is named DURATION, we can also name it after from one specific state to another state of objects or phenomena, The last time always is an important item in the geographic information, e.g. how long will be typhoon last.

##### 3.1.3 Order

Order is used to differentiate change sequence among several spatio-temporal changes, sometimes we use a frame according to a specified spatio-temporal process, The order of change is similar to the topological relationship or spatial neighborhood, in one hand, the sequence of the frame can be represented by ORDER, in the other hand, order also refers to the order of phases in a series of changes in the spatial domain.

##### 3.1.4 Frequency

Frequency refers to the number of times that a phase is repeated in a series of changes in the spatial domain. It is also used to determine how the frame for representing the STP to be repeated, since a lot of phenomena reoccurs according to a regular time, here the frequency can conceptualize this phenomena very well.

Altogether, the variable mentioned above may not sufficient to describe all the STP representing the objects and phenomena, however it can build a implemental framework for a practical implementation.

#### 3.2 Temporal Mapping

There are at least three kind of time for the spatio-temporal object, Real World Time, Database Time and Display Time. when dealing with a temporal process a direct relation between display time and world time exists. World Time is the time scale of reality, the moment an event takes place in the real world. Examples of these processes are those of the Dutch coastline from Roman times until today, boundary changes in Africa since the Second World War, or the changes of yesterday's weather. Time units can be seconds, weeks, or years.

In order to represent the spatio-temporal process in a dynamic (animated) way, the mapping from Real World Time to Display Time is necessary, because it is impossible to display a time sequence change according to actual time. Figure2 show a relation between Real World Time to Display Time, T1 and T2 are world time, Display time T1' and T2' are derived through a mapping. All this time are recorded in the Database time, that means that Database Time is a complete record temporal variable aggregation. Not only the transactional time but also the Real World Time and Display Time are derived from it.






Figure 2. Mapping from Real World Time to Display Time

### 3.3 Combination of Traditional and Dynamic Variables

Barend Köbben and Mustafa Yaman have carried out a preliminary test for evaluating the perceptual properties of a series of dynamic visual variables. The test results shows that the dynamic visual variable moment appears to be not very useful for cartographic animations unless in combination with the static visual variable colour and some other variables. Perhaps the most important conclusion has to be that selection, which is so important in making cartography a strong tool for communication, can not be effectively attained by using dynamic visual variables alone. The traditional variables in order to accompany dynamic variables are as follows:

The **SIZE** of an area on a map may be changed to show changes in value, it represents the size modifications of the objects during a specified time interval. For example, the sizes of countries are made proportionally larger or smaller to depict the amount of oil or coal reserves. An animation can be used to transform the map of oil reserves into the map of coal reserves to show the differences in location of the reserves.

**SHAPE** represents a unique character of each object, sometime the shape can tell much of the quality of a object. An area on a map can be made to change in shape. The shape (and size) of Greenland varies as a result of the influence of a map projection. An STP can be used to blend between the two shapes to accentuate the effect of the different projections.

**COLOUR** is used to concept the calorific properties that objects to be represented. A color transition of spatio-temporal objects means from one colour to another during a specified time interval for a certain number of iterations. The colour animation can be used to highlight objects of interest on a map. The blinking of point symbol give a sense of stressing.

**OPACITY** represents the animation visibility, in other words, the transparency of the objects from one degree of transparency to another during a specified time interval. The typical usages of the opacity animation are blinking to draw attention, fade-in to make objects progressively appear, and fade-out to make objects progressively disappear.

**DIRECTION** represents the direction change of the objects from a starting angle to an ending angle during a specified time interval. Objects may be modified with direction change in terms of a position point. The direction animation is used to represent the symbols with the obvious arrow or direction.

Another variable **DENSITY** is often used to represent the degree of scatter or assemble of spatio-temporal objects, density became larger if the objects became more collective, whereas it became smaller when the object scatter sparsely.

By assigning the traditional variables with dynamic variables, the combination of them become flexible to visualize changing phenomenon and altering objects. Then a framework is needed

to be created for this combination, which based on the dynamic symbol base.

## 4. DYNAMIC VISUALIZATION BASED ON DYNAMIC SYMBOL BASE

Above we have mentioned many aspects of dynamic symbol, which is used to visualize the spatio-temporal process, in this section, the dynamic symbol base is proposed to establish an strategy for the implementation of dynamic symbol.

The strategy are proposed to define a procedure which can make a multi-versioned data into a dynamic visualization. First, the Spatio-temporal association will be used to build a historical relationship between different spatio-temporal data, then different Spatio-temporal processes are got and the mapping of time are derived, based on the dynamic symbol base, temporal symbol and non-temporal are created by the combination of dynamic variables and dynamic variables. Thus dynamic visualization can be displayed by a control over the time-series dynamic map through a visual interface.




Figure 3 A Framework for Dynamic Visualization Base on Dynamic Symbol Base

### 4.1 Spatio-temporal Association

On the basis of the classification of spatio-temporal processed, adopting a series of algorithms for detecting changes between different data versions through geometry and thematic characteristics of spatio-temporal objects, different kinds of STP will be derived from the association. A time mapping algorithm will be used to get the relationship between real world time and display time as well.

### 4.2 Utilization of Dynamic Symbol Base

Here we propose a dynamic symbol base for the implementation of dynamic visualization, which provides a methodology rather than a concrete entity for the application. Apart from offering a base for the traditional mechanism for

static g  
framew

### 4.2.1

Lots of  
that can  
paper,  
success  
and trac  
the pro  
can be  
polygon

An exa  
subsequ  
to help  
this typ  
classific  
data's c  
from ea

### 4.2.2

A num  
whole  
characte  
tempora  
display  
presenti  
techniq  
of spatio  
of point  
in differ  
smooth  
compre

### 4.3 Vi

For the  
availabl  
Seeing  
question  
to answe  
in the n  
view an  
at a part  
to go to  
as a po  
instance  
individu  
especial  
used to  
explorat  
is just o  
data at l

We des  
process  
query s  
control  
velocity  
that had  
tempora



static geographical data, the dynamic symbol base built up a framework for two kinds of dynamic symbol as follows:

#### 4.2.1 Temporal Symbol

Lots of spatio-temporal processes are successive procedures that can be displayed in a continuous representation, in the paper, we adopt temporal symbol to visualize such kind of successive processes. By the combination of dynamic variables and traditional variables such as colour, size, opacity and so on, the process can be displayed well. For example, urbanization can be showed vividly by temporal gradually size-changed polygon, etc.

An example of the temporal symbol is the addition of subsequent map layers, which leads the viewer through a theme, to help understand spatial and contextual coherence. This leaves this types of cartographic animations, which are the core of the classification presented here. It is the relation between spatial data's components and display time which distinguishes them from each other.

#### 4.2.2 Non-temporal Symbol

A number of phenomenon are not so strictly related to the whole process of spatio-temporal objects, however, some character at specific moment need to be highlighted. Non-temporal symbol is not strictly linked with world time, the display time of it is applied to explain spatial relations by presenting individual images in logical sequence. Some techniques will be used to demonstrate highlights or emphasis of spatio-temporal processes, such as the blinking and flashing of point symbol. Another example of this is to show a data set in different graphic representations, such as an isoline map, an smooth statistical surface or a dot map to provide the viewer a comprehensive impression of the same data set.

#### 4.3 Visual Interface for Dynamic Control

For the user of a dynamic symbol, it is important to have tools available that allow for interaction while viewing the animation. Seeing the animation play will often leave users with many questions of what they have seen. Just a re-play is not sufficient to answers questions like 'What was the position of the coastline in the north during the 15th century?' Most general software to view animations already offer facilities such as 'pause', to look at a particular frame, and '(fast-) forward' and '(fast-) backward', to go to a particular frame. More options have to be added, such as a possibility to directly go to a certain frame based on for instance a temporal query, or the ability to re-ordering individual frames based on a attribute query. This becomes especially relevant if we realize that animation will not only be used to present spatial data, but will be increasingly used in an exploratory environment. In such an environment the animation is just one of the alternative view one has available to study the data at hand (Dykes et al., 2005).

We designed a visual interface that help users to manipulate the process of displaying, through which people can play back and query some details of the Spatio-temporal process. A speed control function of the process also provided for different velocity analysis. User can get a vivid impression of the change that had happened from the data which are stored in the spatio-temporal database.

#### 4.4 Test and Analysis

A test of the implementation of the framework is carried out based on the residential expansion of a city of BAOJI in the northwest of shanxi province in China. The following graph diagram shows Entity-based spatial-temporal process displaying based on dynamic symbol base. An urban growing process can be showed by a series change through dynamic symbol.




Figure 4 Time series change showed by temporal symbol

#### 5. CONCLUSION

Dynamic Symbol offers the user the opportunity to see and query changes spatial patterns. Depending on the nature of the data one can apply different design techniques, or change the viewpoint on the data. Dynamic Symbol will offer a better insight to mapped phenomena. However, this will only work when the user environment has the proper options for interaction. In an exploratory environment the dynamic symbol will be one of the strong alternative views on the data that supports knowledge discovery.

#### REFERENCES

- Koussoulakou, A. & M.J. Kraak (1992). Spatio-temporal maps and cartographic communication. *The Cartographic Journal*, 29 (1992) 2, pp. 101-108.
- Köbben, B., Yaman, M.: Evaluating Dynamic Visual Variables. In: Ormeling, F.J., Köbben, B., Perez Gomez, R. (eds.): *Proceedings of the Seminar on Teaching Animated Cartography*. International Cartographic Association, Utrecht (1996) 45-51.
- Mennojan Kraak, Arjen Klomp. A Classification of Cartographic Animations: Towards a Tool for the Design of Dynamic Maps in a GIS Environment [C]. *The Seminar on Teaching Animated Cartography*, Spain, 1995, <http://cartography.geog.uu.nl/ica/Madrid/kraak.html>.
- Masuoka P, Acevedo W., Fifer S., Foresman T. 1996. Tuttle M. Techniques for visualizing urban growth using a temporal GIS database. *Presentation at the ASPRS/ACSM Annual Convention and Exhibition*, Baltimore, MD, pp.22- 25.
- ZHU Guorui, 2004. *Cartography*. Wuhan University Press, pp.34- 35.
- AI Tinghua, 1998. Dynamic symbol and dynamic map. *Journal of Wuhan Technical University of Surveying and Mapping*. 23(1), pp.47-51



TANG Xinming, WU lan 1999.Spatio-Temporal data model and Geographic Information System Frame. *Remote Sensing Information* 01,pp.4-8

WU Lixin, SHI WenZhong. 2003, *Principles and Algorithms of GIS*, Science Press ,Beijing, pp.154-156

Huang Xingyuan, HU Peng, 2001, Tutorial of GIS. *Wuhan University Press*, pp.204- 206.

Vasiliev, I.R. (1997), Mapping Time. Monograph 49, *Cartographica* 34.2.

Andrienko, N., G. Andrienko & P. Gatalsky (2003), Exploratory spatio-temporal visualization: an analytical view. *Journal of Visual Languages & Computing* 14, pp. 503-541.

MacEachren, A.M. (1994a), Some truth with maps: a primer on symbolization & design.Washington D.C.: *Association of American Geographers*.

MacEachren, A.M. (1994b), Time as a Cartographic variable. In: H. Hearnshaw & D. Unwin, eds.,*Visualization in GIS*. London: Wiley & Sons, pp. 115-130.

DiBiase, D., A.M. MacEachren, J.B. Krygier & C. Reeves (1992), Animation and the role of mapdesign in scientific visualization. *Cartography and Geographic Information Systems*, 19,pp. 201-214, 265-266.

Vasconcellos, R. (1993), Representing the geographical space for visually handicapped students: a case study on map use. In: P. Mesenburg, ed., *Proceedings of the 16th International Cartographic Conference, Cologne, German*, Volume 2. *International Cartographic Association*,pp. 993-1002.

Griffin, A. (2003), An empirical study of interactive maps in the context of a geographical simulation model. In: *Cartographic renaissance. Proceedings 21st International Cartographic Conference, Durban, South Africa. International Cartographic Association*, pp 358-364.

Dykes, J. (1996), Dynamic maps for spatial science: a unified approach to cartographic visualization. In: D. Parker, ed., *Innovations in GIS 3*. Bristol, Pennsylvania: Taylor & Francis, pp. 177-187.

#### ACKNOWLEDGEMENT

The authors wish to thank China National High-tech R&D Program (Project No.:2006AA12Z214) and China National Fundamental Surveying and Mapping Project: (Project No.:1460130524207) for financial support.

static geographical data, the dynamic symbol as follows:

#### 4.1.3 Non-temporal Symbol

A number of phenomena are not strictly related to the whole process of spatio-temporal objects, however, some character at specific moment need to be highlighted. Non-temporal symbol is not strictly linked with whole time, the display time of it is applied to explain spatial relations by presenting individual images in logical sequence. Some techniques will be used to demonstrate highlights or emphasis of spatio-temporal processes, such as the blinking and flashing of point symbol. Another example of this is to show a data set in different graphic representation, such as an isoline map, an smooth statistical surface or a dot map to provide the viewer a comprehensive impression of the same data set.

#### 4.1.3 Visual Interface for Dynamic Control

For the user of a dynamic symbol, it is important to have tools available that allow the interaction while viewing the animation. Seeing the animation play will often leave users with many questions of what they have seen, just a re-play is not sufficient to answer questions like "What was the position of the coastline in the north during the 19th century?" Most general software to view animations already offer facilities such as "pause", "look at a particular frame", and "first", "forward" and "last" ("backward", "next", "previous" and "stop") options have to be added, such as a possibility to directly go to a certain frame based on for instance a temporal query, or the ability to re-order individual frames based on a attribute query. The purposes especially relevant if we realize that animation will not only be used to present spatial data, but will be increasingly used in an exploratory environment, in such an environment the animation is just one of the alternative view one has available to study the data at hand (Dykes et al., 2002).

#### 4.1.3 Visual Interface for Dynamic Control

We designed a visual interface that helps users to manipulate the process of displaying through which people can play back and query some details of the spatio-temporal process. A speed control function of the process also provided for different velocity analysis. User can get a vivid impression of the change that had happened from the data which presented in the spatio-temporal process. Visualization is composed of non-manipulative and manipulative two parts. The non-manipulative part is to display the data in a concrete entity for the other manipulation part. The manipulative part is to control the data in a dynamic way. The non-manipulative part is to display the data in a concrete entity for the other manipulation part. The manipulative part is to control the data in a dynamic way. The non-manipulative part is to display the data in a concrete entity for the other manipulation part. The manipulative part is to control the data in a dynamic way.

Quantitative analysis is mainly done by processing the data we analyze and blue (R461/R5 chlorophyll regression images) to show that

Chlorophyll estimation character Many remote sensing detected using satellite diversification Shu Xiaofan of chlorophyll spectrum precision (2004).

New satellite provides of inland Spectrometry Autonomous spatial data from information On one hand across-transect CHRIS/Proba acquiring zenith angle "fly-by" the platform The platform equal to 55°. New already found On the visible/near-infrared, with between operate in